Author Index

Ageladarakis, P. A.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 1: the in-vessel cryopump	509–524
Ageladarakis, P. A.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 2: the Lower Hybrid Current Drive cryopump	525–534
Al-Farayedhi, A.	Closed-form and numerical solutions to the laser heating process	141–151
Balabani, S.	The turbulence structure of the annular non-swirling flow past an axisymmetric poppet valve	455–471
Balabani, S.	The effect of swirl on the annular flow past an axisymmetric poppet valve	473–484
Bartlett, H.	Power transmission system modelling	497–508
Belloni, G.	Notch effect arising from the stud bolt in a 750 MVA turboalternator	107–116
Belloni, G.	Fretting fatigue conditions for two types of turboalternator rotor	429–440
Blomerus, P. M.	An efficient procedure for modelling limited plastic flow	731–740
Borgia, M.	Analysis of hydraulic components using computational fluid dynamics models	619–629
Brandon, J. A.	Some insights into the dynamics of defective structures	441–454
Brandon, J. A.	Optimization of the fuel input to an industrial heating plant	605–617
Brooks, J. W.	The interfacial heat transfer coefficient in hot die forging of titanium alloy	485–496
Burgess, S. C.	The ranking of efficiency of structural layouts using form factors. Part 1: design for stiffness	117–128
Burgess, S. C.	The ranking of efficiency of structural layouts using form factors. Part 2: design for strength	129–140
Burguete, R. L.	The effect of friction on crack propagation in the dovetail fixings of compressor discs	171–181
Burrows, C. R.	Vibration control of a flexible rotor/magnetic bearing system subject to direct forcing and base motion disturbances	535–546
Cantore, G.	Analysis of hydraulic components using computational fluid dynamics models	619–629
Cartmell, M. P.	Dynamics of spreader motion in a gantry crane	85–105
Chang, Y.-J.	A study of non-redirection louvre fin-and-tube heat exchangers	1–14
Chang, Y.-P.	A study of non-redirection louvre fin-and-tube heat exchangers	1–14
Chen, X. F.	An endochronic damage model for three-dimensional ductile failure analysis of double-edge notched thick-tension specimens	25–34
Chi, K.-Y.	A study of non-redirection louvre fin-and-tube heat exchangers	1–14
Childs, T. H. C.	Experimental and finite element studies of the running of V-ribbed belts in pulley grooves	343–354
Chow, C. L.	An endochronic damage model for three-dimensional ductile failure analysis of double-edge notched thick-tension specimens	25–34
Chow, C. L.	Inelastic finite element analysis of fibre-reinforced composite laminates with damage	717–729
Ciavarella, M.	The influence of rounded edges on indentation by a flat punch	319–328
Clark, D. E. R.	A feature complexity index	405–412
Cole, M. O. T.	Vibration control of a flexible rotor/magnetic bearing system subject to direct forcing and base motion disturbances	535–546
Cook, G.	The twin helical screw compressor. Part 1: development, applications and competitive position	355–367
Cook, G.	The twin helical screw compressor. Part 2: a mathematical model of the working process	369–380
Cooper, J. E.	Applications of probability density estimation to the detection of abnormal conditions in engineering	687–703
Corney, J.	A feature complexity index	405–412
Cossa, L. M.	Temperature stresses in thick circular cylindrical shells used in nuclear reactors with and without uniform internal heat generation within the shell wall thickness	547–554
Cossa, L. M.	Temperature stresses in thick circular cylindrical shells used in nuclear reactors with exponential heat generation within the shell wall thickness	555–565
Dalgarno, K. W.	Experimental and finite element studies of the running of V-ribbed belts in pulley grooves	343–354
Davey, K.	Modelling the pressure die casting process with the boundary element method: die deformation model for flash prevention	197–215
Davoli, P.	Notch effect arising from the stud bolt in a 750 MVA turboalternator	107–116
Dean, T. A.	The interfacial heat transfer coefficient in hot die forging of titanium alloy	485–496
Desforges, M. J.	Applications of probability density estimation to the detection of abnormal conditions in engineering	687–703
Dowden, J.	Behaviour of a stable welding arc with positive and negative arc resistance	15–23

© IMechE 1998

Du, S.	*Encoder error analysis in gear transmission error measurement*	277–285
Du, S.	Modelling of spur gear mesh stiffness and static transmission error	287–297
Ebrahimi, M.	*Torsional vibrations in rotor shells*	263–276
Elcoate, C. D.	On the coupling of the elastohydrodynamic problem	307–318
Evans, H. P.	*On the coupling of the elastohydrodynamic problem*	307–318
Featherston, C. A.	Buckling of curved panels under combined shear and compression	183–196
Featherston, C. A.	*Buckling of flat plates under bending and shear*	249–261
Ferguson, G. L.	Design optimization of a pneumatic-powered drilling tool thrust assembly	165–170
Finkelstein, T.	A new isothermal theory for Stirling machine analysis and a volume optimization using the concept of 'ancillary' and 'tidal' domains	225–236
Fleming, J. S.	The twin helical screw compressor. Part 1: development, applications and competitive position	355–367
Fleming, J. S.	The twin helical screw compressor. Part 2: a mathematical model of the working process	369–380
Fogarasy, A. A.	The influence of manufacturing tolerances on the kinematic performance of mechanisms	35–47
Ford, J.	Optimization of the fuel input to an industrial heating plant	605–617
Friswell, M. I.	Estimating turbogenerator foundation parameters	653–665
Gaskell, P. H.	Stokes flow in a double-lid-driven cavity with free surface side walls	387–403
Gorla, C.	Fretting fatigue conditions for two types of turboalternator rotor	429–440
Griffiths, A. G.	Optimization of the fuel input to an industrial heating plant	605–617
Guerreri, G.	Temperature stresses in thick circular cylindrical shells used in nuclear reactors with and without uniform internal heat generation within the shell wall thickness	547–554
Guerreri, G.	Temperature stresses in thick circular cylindrical shells used in nuclear reactors with exponential heat generation within the shell wall thickness	555–565
Gürcan, F.	Stokes flow in a double-lid-driven cavity with free surface side walls	387–403
Hakem, N.	A numerical simulation of steady state metal cutting	331–341
Hills, D. A.	The influence of rounded edges on indentation by a flat punch	319–328
Hills, D. A.	An efficient procedure for modelling limited plastic flow	731–740
Hinduja, S.	Modelling the pressure die casting process with the boundary element method: die deformation model for flash prevention	197–215
Hu, Z. M.	The interfacial heat transfer coefficient in hot die forging of titanium alloy	485–496
Hughes, T. G.	On the coupling of the elastohydrodynamic problem	307–318
Jack, L. B.	Application of periodic time-varying autoregressive models to the detection of bearing faults	417–428
Jacob, P. J.	Applications of probability density estimation to the detection of abnormal conditions in engineering	687–703
Jergéus, J.	Martensite formation and residual stresses around railway wheel flats	69–79
Johnson, P. W.	Design optimization of a pneumatic-powered drilling tool thrust assembly	165–170
Joyot, P.	A numerical simulation of steady state metal cutting	331–341
Kapadia, P.	Behaviour of a stable welding arc with positive and negative arc resistance	15–23
Kelly, D. W.	Modelling of spur gear mesh stiffness and static transmission error	287–297
Keogh, P. S.	Vibration control of a flexible rotor/magnetic bearing system subject to direct forcing and base motion disturbances	535–546
King, L. M.	Electromagnetic bearing actuator for active vibration control of a flexible rotor	705–716
Kubie, J.	Oscillations of liquids in single-outlet vessels	759–764
Lee, H. P.	Size optimization of cam mechanisms with translating roller followers	381–386
Lees, A. W.	Estimating turbogenerator foundation parameters	653–665
Little, G.	A feature complexity index	405–412
Lo Conte, A.	Fretting fatigue conditions for two types of turboalternator rotor	429–440
Lucas, M.	A study of the natural vibratory response of stator structures to improve condition monitoring strategies for induction motors	57–68
McCormick, A. C.	Application of periodic time-varying autoregressive models to the detection of bearing faults	417–428
McNeil, D. A.	A mechanistic approach to laminar flow through an abrupt enlargement	237–245
McNeil, D. A.	Two-phase momentum flux in pipes and its application to incompressible flow in nozzles	631–641
Matteazzi, S.	Notch effect arising from the stud bolt in a 750 MVA turboalternator	107–176
Meng, L. T.	Electromagnetic bearing actuator for active vibration control of a flexible rotor	705–716
Miccoli, S.	Fretting fatigue conditions for two types of turboalternator rotor	429–440
Milani, M.	Analysis of hydraulic components using computational fluid dynamics models	619–629
Milroy, J.	Modelling the pressure die casting process with the boundary element method: die deformation model for flash prevention	197–215
Monno, G.	The influence of rounded edges on indentation by a flat punch	319–328
Morrish, L.	Dynamics of spreader motion in a gantry crane	85–105

© IMechE 1998

Nadarajah, S.	The turbulence structure of the annular non-swirling flow past an axisymmetric poppet valve	455–471
Nadarajah, S.	The effect of swirl on the annular flow past an axisymmetric poppet valve	473–484
Nandi, A. K.	Application of periodic time-varying autoregressive models to the detection of bearing faults	417–428
Nishimura, T.	Synthesis of the internal parallel cam mechanism	577–585
Nishioka, M.	Synthesis of the internal parallel cam mechanism	577–585
O'Dowd, N. P.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 1: the in-vessel cryopump	509–524
O'Dowd, N. P.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 2: the Lower Hybrid Current Drive cryopump	525–534
Ould-El-Hadrami, A.	On the calculation of the unsteady compressible flow through an *N*-branch junction	49–56
Pantalé, O.	A numerical simulation of steady state metal cutting	331–341
Paoluzzi, R.	Analysis of hydraulic components using computational fluid dynamics models	619–629
Papastergiou, S.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 1: the in-vessel cryopump	509–524
Papastergiou, S.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 2: the Lower Hybrid Current Drive cryopump	525–534
Patterson, E. A.	The effect of friction on crack propagation in the dovetail fixings of compressor discs	171–181
Prells, U.	Estimating turbogenerator foundation parameters	653–665
Rakotomalala, R.	A numerical simulation of steady state metal cutting	331–341
Randall, R. B.	Encoder error analysis in gear transmission error measurement	277–285
Randall, R. B.	Modelling of spur gear mesh stiffness and static transmission error	287–297
Richards, W. D.	The vibration of ring-reinforced circular cylinders under external water pressure	299–306
Richardson, I.	Behaviour of a stable welding arc with positive and negative arc resistance	15–23
Ross, C. T. F.	The vibration of ring-reinforced circular cylinders under external water pressure	299–306
Ruiz, C.	Buckling of curved panels under combined shear and compression	183–196
Ruiz, C.	Buckling of flat plates under bending and shear	249–261
Sami, M.	Closed-form and numerical solutions to the laser heating process	141–151
Samineni, R.	Design optimization of a pneumatic-powered drilling tool thrust assembly	165–170
Savage, M. D.	Stokes flow in a double-lid-driven cavity with free surface side walls	387–403
Shenoi, R. A.	A new time integration method in structural dynamics using the Taylor series	567–575
Shuja, S. Z.	Gas-assisted laser repetitive pulsed heating of a steel surface	741–757
Smart, M.	Estimating turbogenerator foundation parameters	653–665
Smith, J. D.	Modelling the dynamics of misaligned helical gears with loss of contact	217–224
Smith, M. R.	The influence of manufacturing tolerances on the kinematic performance of mechanisms	35–47
Solana, P.	Behaviour of a stable welding arc with positive and negative arc resistance	15–23
Stoštić, N.	On gearing of helical screw compressor rotors	587–594
Tabaddor, M.	Modal interactions in a frame under support motions	667–686
Tang, Y.	The twin helical screw compressor. Part 1: development, applications and competitive position	355–367
Tang, Y.	The twin helical screw compressor. Part 2: a mathematical model of the working process	369–380
Taylor, A. J.	Dynamics of spreader motion in a gantry crane	85–105
Thompson, H. M.	Stokes flow in a double-lid-driven cavity with free surface side walls	387–403
Thomson, W. T.	A study of the natural vibratory response of stator structures to improve condition monitoring strategies for induction motors	57–68
Tindal, M. J.	The turbulence structure of the annular non-swirling flow past an axisymmetric poppet valve	455–471
Tindal, M. J.	The effect of swirl on the annular flow past an axisymmetric poppet valve	473–484
Touratier, M.	A numerical simulation of steady state metal cutting	331–341
Tournier, C.	On the calculation of the unsteady compressible flow through an *N*-branch junction	49–56
Tuttle, R.	A feature complexity index	405–412
Uchiyama, T.	Accuracy of large eddy simulation for turbulent flow by the finite element method	643–650
Wang, C.-C.	A study of non-redirection louvre fin-and-tube heat exchangers	1–14
Wang, S. M.	A new time integration method in structural dynamics using the Taylor series	567–575
Webster, G. A.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 1: the in-vessel cryopump	509–524
Webster, G. A.	Theoretical and experimental simulation of accident scenarios of the Joint European Torus cryogenic components. Part 2: the Lower Hybrid Current Drive cryopump	525–534
Whalley, R.	Three-term control of lightly damped mechanical systems	153–164
Whalley, R.	Torsional vibrations in rotor shells	263–276
Whalley, R.	Power transmission system modelling	497–508

© IMechE 1998

William-Louis, M. J. P.	On the calculation of the unsteady compressible flow through an *N*-branch junction	49–56
Yang, F.	Inelastic finite element analysis of fibre-reinforced composite laminates with damage	717–729
Yianneskis, M.	The turbulence structure of the annular non-swirling flow past an axisymmetric poppet valve	455–471
Yianneskis, M.	The effect of swirl on the annular flow past an axisymmetric poppet valve	473–484
Yilbas, B. S.	Closed-form and numerical solutions to the laser heating process	141–151
Yilbas, B. S.	Gas-assisted laser repetitive pulsed heating of a steel surface	741–757
Yu, D.	Experimental and finite element studies of the running of V-ribbed belts in pulley grooves	343–354
Yu, Q.	Size optimization of cam mechanisms with translating roller followers	381–386
Yu, Z.	Electromagnetic bearing actuator for active vibration control of a flexible rotor	705–716
Zhang, Y. M.	Identification of a multivariable interval dynamic model from measurements in the frequency domain	595–604
Zhao, L. B.	A new time integration method in structural dynamics using the Taylor series	567–575

© IMechE 1998